



KEMIG

Proizvodnja i prodaja farmaceutskih i kozmetičkih
sirovina, ambalaže i gotovih proizvoda



BENZOCAINUM/Benzokain

Kontrolni broj/*Control number*: 1501364
Zahtjev kvalitete/*Quality request*: Ph.Eur. 8.0
Serija/*Batch*: 0260215 ✓
Datum proizvodnje/*Production date*: 23.02.2015. ✓
Datum retesta/*Recertification date*: 31.01.2020. ✓
CAS: 94-09-7

ANALITIČKO IZVJEŠĆE/CERTIFICATE OF ANALYSIS

ISPITIVANJE/TEST	ZAHTJEV/REQUIREMENT	REZULTAT/RESULTS
Izgled/ <i>Characters</i>	bijeli ili gotovo bijeli kristalni prašak ili bezbojni kristali, vrlo teško topiv u vodi, lako topiv u etanolu (96%)/ <i>white or almost white crystalline powder or colourless crystals, very slightly soluble in water, freely soluble in ethanol (96%)</i>	odgovara/ <i>conform</i>
Identifikacija/ <i>Identification</i>	A;C;D	odgovara/ <i>conform</i>
Talište/ <i>Melting point</i>	89 °C – 92 °C	89,3 °C
Izgled otopine/ <i>Appearance of solution</i>	bistra i bezbojna/ <i>clear and colourless</i>	odgovara/ <i>conform</i>
Kiselost ili lužnatost/ <i>Acidity or alkalinity</i>	odgovara testu/ <i>correspond to test</i>	odgovara/ <i>conform</i>
Gubitak sušenjem/ <i>Loss on drying</i>	≤ 0,5 %	0,02 %
Sulfatni pepeo / <i>Sulfated ash</i>	≤ 0,1 %	0,03 %
Sadržaj/ <i>Assay</i>	99,0 % - 101,0 %	99,99 %

Analiza izvršena/*Date of analysis*: 03.08.2015.
Analitičar/*Analyst*: KH

Voditelj kontrolno analitičkog laboratorija /*Responsible quality control laboratory manager*
mr.ph.Elizabeta Marok-Grilec mr.sc.
Specijalista ispitivanja i kontrole lijekova/ *Medicals control and testing specialist*

Certifikat je izdan putem računala te je pravovaljan bez potpisa/
This document has been produced electronically and is valid without signature

Donjozelinska 114 • 10382 Donja Zelina • Tel.: +385 1 2043322 • Faks: +385 1 2043220 • e-mail: kemig@kemig.hr • www.kemig.hr
OIB:10383719392 • IBAN: HR5524020061100604591

486