

Certificate of analysis



Article	7455	Natriumlactat-Lösung 50%
Synonym		Natrii lactatis solutio
Synonym		Sodium lactate solution 50%
Batch	160562	
Specification	PH.EUR. 8.0	
Expiry date	11.2018	

Test	Specification	Result	
Characters	In accordance	Complies	
-Appearance	In accordance	Complies	
-Solubility	In accordance	Complies	
Identification	In accordance	Complies	
-A	In accordance	Complies	
-B	In accordance	Complies	
-Raman spectrophotometry	In accordance	Complies	
Tests	In accordance	Complies	
-Appearance of solution	In accordance	Complies	
-pH	6,5 - 9,0	7,5	
-Reducing sugar, saccharose	In accordance	Complies	#
-Chlorides	Max 50 ppm	Max 50 ppm	#
-Oxalate, phosphate	In accordance	Complies	#
-Sulphates	Max 100 ppm	Max 100 ppm	#
-Barium	In accordance	Complies	#
-Iron	Max 10 ppm	Max 10 ppm	#
-Heavy metals	Max 10 ppm	Max 10 ppm	#
Assay (sodium lactate)	48,0 - 52,0 %	50,4 %	#
Complies specification	*****	Yes	



Certificate of analysis

Article	7455	Natriumlactat-Lösung 50%
Synonym		Natrii lactatis solutio
Synonym		Sodium lactate solution 50%
Batch	160562	
Specification	PH.EUR. 8.0	
Expiry date	11.2018	

Test		Specification	Result
Release date	15.03.2016	Head of Quality Control	Fr. Dr.Haßel

Result taken from the manufacturer's certificate

This document has been generated automatically and is valid without a signature.