

Analizni izvid / Certificate of analysis

Adeps lanae

Serijska številka / Batch n°: LX0048-110004 ✓
Deklaracija / Corresponds to: Ph.Eur.Datum analize / Date of analysis: 27/06/2012
Datum proizvod / Manufacturing date: 10/2011
Uporabno do / Expiry date: 10/2013 ✓27. 6. 2012
Datum prejema: 17. 10
Pregledal: MAROLT Robert, mag. farm., spec.
Datum pregleda: 5. 7. 2012

Specifikacija / Specification Values		Rezultati / Batch Values
Lastnosti / Properties:	Rumena mastna snov, ko se stali nastane bistra ali skoraj bistra rumena tekočina. Ratopina v petroletru je opalescentna. Skoraj netopna v vodi, težko topna v vrelem brezvodnem etanolu. Ima značilen vonj. / Yellow, unctuous substance. When melted, it is a clear or almost clear, yellow liquid. A solution in light petroleum is opalescent. Practically insoluble in water, slightly soluble in boiling anhydrous ethanol. It has a characteristic odour.	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vodotopna kislina ali alkaliske snovi / Water-soluble acid or alkaline substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kapljishče / Drop point:	38 – 44 °C	42,5
Sposobnost absorpcije vode / Water absorption capacity:	≥ 200 %	220
Kislinsko število / Acid value:	≤ 1,0	0,79
Peroxidno število / Peroxide value:	≤ 20	6,66
Saponifikacijsko število / Saponification value:	90 – 105	97,24
V vodi topne oksidirajoče snovi / Water soluble oxidisable substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Butil hidroksitoluen / Butylhydroxytoluene:	≤ 200 ppm	Ustreza / Conforms
Parafini / Paraffins:	≤ 1,0 %	< 1
Pesticidi / Pesticides:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kloridi / Chlorides:	≤ 150 ppm	< 150
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	< 0,5
Sulfatni pepel / Sulphated ash:	≤ 0,15 %	0,1

Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7. /
According to the tested parameters the sample corresponds to Ph.Eur.7th.Ines LOGAR mag.farm., spec.
Vodja službe za zagotavljanje kakovosti
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolnega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganeljska c. 26 • SI-6000 Koper
tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
www.lex.si • www.lexarna.si