


Analizni izvid / Certificate of analysis

Adeps lanae

Serijska številka / Batch n°: LX0048-130006 ✓
 Deklaracija / Corresponds to: Ph.Eur.
 Proizvajalec / Manufacturer: H. Erhard Wagner GmbH

Datum analize / Date of analysis: 26/04/2013
 Datum proizvodnje / Manufacturing date: 02/2013
 Uporabno do / Expiry date: 02/2015 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Rumena mastna snov. Staljena je bistra ali skoraj bistra rumena tekočina. Ratopina v petroletru je opalescentna. Skoraj netopna v vodi, težko topna v vrelem brezvodnem etanolu. Ima značilen vonj. / Yellow, unctuous substance. When melted, it is a clear or almost clear, yellow liquid. A solution in light petroleum is opalescent. Practically insoluble in water, slightly soluble in boiling anhydrous ethanol. It has a characteristic odour.	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vodotopne kisle ali alkalne snovi / Water-soluble acid or alkaline substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Sposobnost absorpcije vode / Water absorption capacity:	≥ 20 ml	21,92
Kislinsko število / Acid value:	≤ 1,0	0,48
Peroksidno število / Peroxide value:	≤ 20	12,82
Saponifikacijsko število / Saponification value:	90 – 105	90,64
Vodotopne oksidirajoče snovi / Water soluble oxidisable substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Butilhidroksitoluen / Butylhydroxytoluene:	≤ 200 ppm	Ustreza / Conforms
Parafini / Paraffins:	≤ 1,0 %	Ustreza / Conforms
Pesticidi / Pesticides:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kloridi / Chlorides:	≤ 150 ppm	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	0,02
Sulfatni pepel / Sulphated ash:	≤ 0,15 %	0,06
Kapljishče / Drop point:	38 – 44 °C (typical value)	39,5



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.
 According to the tested parameters the sample corresponds to Ph.Eur. 7th.

Ines LOGAR mag.farm., spec.
 Vodja službe za zagotavljanje kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Stran/Page 1/1

Lex

LexCHEM

Lexarna

Lex d.o.o. • Vanganeljska c. 26 • SI-6000 Koper
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
 www.lex.si • www.lexarna.si