

Analizni izvid / Certificate of analysis

Adeps lanae

Serijska številka / Batch n°: LX0051-110003
 Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 07/04/2011
 Datum proizvodnje / Manufacturing date: 03/2011
 Uporabno do / Expiry date: 03/2013

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Rumena mastna snov, ko se stali nastane bistra ali skoraj bistra rumena tekočina. Ratopina v petroletru je opalescentna. Skoraj netopna v vodi, težko topna v vrelem brezvodnem etanolu. Ima značilen vonj. <i>Yellow, unctuous substance. When melted, it is a clear or almost clear, yellow liquid. A solution in light petroleum is opalescent. Practically insoluble in water, slightly soluble in boiling anhydrous ethanol. It has a characteristic odour.</i>	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vodotopna kislina ali alkalijske snovi / Water-soluble acid or alkaline substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kapljišče / Drop point:	38 – 44 °C	44
Sposobnost absorpcije vode / Water absorption capacity:	≥ 200 %	Ustreza / Conforms
Kislinsko število / Acid value:	≤ 1,0	0,60
Peroksidno število / Peroxide value:	≤ 20	5,9
Saponifikacijsko število / Saponification value:	90 to 105	90,7
V vodi topne oksidirajoče snovi / Water soluble oxidisable substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Butil hidroksitoluen / Butylhydroxytoluene:	≤ 200 ppm	127,640
Parafini / Paraffins:	≤ 1,0 %	Ustreza / Conforms
Pesticidi / Pesticides:	≤ 1 ppm	0,864
Kloridi / Chlorides:	≤ 150 ppm	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	0,01
Sulfatni pepel / Sulphated ash:	≤ 0,15 %	Ustreza / Conforms

FARMADENT d.o.o.
 Minarikova ul. 6
 2000 Maribor
 Prejel: DUJS DRAGO

Datum prejema: 5.7.2011
 Pregledal: MAROLT Robert mag. farm., spec.

Datum pregleda: 5.7.2011

Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.
 According to the tested parameters the sample corresponds to Ph.Eur.7.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager