

## Analizni izvid / Certificate of analysis

## Benzocainum micron.

Serijska številka / Batch n°: LX0126-130005 ✓  
 Deklaracija / Corresponds to: Ph.Eur.  
 Proizvajalec / Manufacturer: NORBROOK S.r.o.

Datum analize / Date of analysis: 05/09/2013  
 Datum proizvodnje / Manufacturing date: 01/2013  
 Uporabno do / Expiry date: 12/2017 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen prašek ali brezbarvni kristali, zelo težko topen v vodi, lahko topen v etanolu (96 odstotnem). / White or almost white, crystalline powder or colourless crystals, very slightly soluble in water, freely soluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	99,0 – 101,0 %*	100,04
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislota ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	0,040
Sulfatni pepel / Sulphated ash:	≤ 0,1 %	Ustreza / Conforms

FARMADENT d.o.o.  
 Minarikova ul. 6  
 2000 Maribor  
 Prejel: FLIS DRAGO  
 Za: Pogacnik  
 Datum prejema: 17.9.2013  
 Pregledal: MAROLT Robert, mag. farm., spec.  
 Datum pregleda: 17.9.2013

Opombe / Notes:

\* sušena substanca / dried substance

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.  
 According to the tested parameters the sample corresponds to Ph.Eur.7<sup>th</sup>.

Ines LOGAR mag.farm., spec.

Vodja službe za zagotavljanje kakovosti  
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganejska c. 26 • SI-6000 Koper  
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12  
 www.lex.si • www.lexarna.si