

Analizni izvid / Certificate of analysis

Cera alba

Serijska številka / Batch n°: L008258
 Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 22/12/2010
 Datum proizvodnje / Manufacturing date: 08/2010
 Uporabno do / Expiry date: 08/2013

Specifikacija / Specification Values		Rezultati / Batch Values
Lastnosti / Properties:	Beli ali svetlo rumeni koščki ali ploščice, v tankem sloju prosojne, ob prelomu fino zrnate, matirane in nezrnate. Pri segrevanju v rokah postanejo mehke in voljne. Vonj spominja na rumen čebelji vosek, vendar je šibkejši in nikoli žarek. Je brez okusa in se ne prijema na zobe. Skoraj netopni v vodi, delno topni v vročem etanolu (90 odstotnem V/V) in popolnoma topni v maščobnih in eteričnih oljih. White or yellowish-white pieces or plates, translucent when thin, with a fine-grained, matt and non-crystalline fracture; when warmed in the hand they become soft and malleable. It has an odour similar to that of yellow beeswax, though fainter and never rancid. It is tasteless and does not stick to the teeth, practically insoluble in water, partially soluble in hot ethanol (90 per cent V/V) and completely soluble in fatty and essential oils.	Ustreza / Complies
Kapljišče / Drop point:	61° - 66 °C	63 °C
Kislinsko število / Acid value:	17,0 - 24,0	19,3
Estrsko število / Ester value:	70 - 80	72
Saponifikacijsko število / Saponification value:	87 - 104	92
Cerezin, parafini in preostali voski / Ceresin, paraffins and certain other waxes:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Glicerol in ostali poliolji / Glycerol and other polyols:	≤ 0,5 % m/m	< 0,5 % m/m



Opombe / Notes:	
Mnenje / Opinion:	Po preskušenih parametrih vzorec ustreza Ph.Eur.6th. According to the tested parameters the sample corresponds to Ph.Eur.6th.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti

Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.