

Certificate of analysis



Article	4164	Cetylpalmitat 15
Synonym		Cetylis palmitas, Cetaceum artificiale
Synonym		Cetyl palmitate 15
Batch	171640	
Specification	PH.EUR. 8.8	
Expiry date	10.2018	

Test	Specification	Result
Characters	In accordance	Complies
-Appearance	In accordance	Complies
-Solubility	In accordance	Complies
Identification	In accordance	Complies
-A	In accordance	Complies
-B	In accordance	Complies
Tests	In accordance	Complies
-Appearance of solution	In accordance	Complies
-Acid value	Max 4,0	0,1
-Hydroxyl value	Max 20,0	9,6 #
-Iodine value	Max 2,0	0,3 #
-Saponification value	105 - 120	111
-Alkalinity	In accordance	Complies
-Nickel	Max 1 ppm	Max 1 ppm #
-Water	Max 0,3 %	0,0 %
-Total ash	Max 0,2 %	Max 0,1 % #
Assay	10,0 - 20,0 %	18,1 %
Complies specification	*****	Yes

Certificate of analysis



Article	4164	Cetylpalmitat 15
Synonym		Cetylis palmitas, Cetaceum artificiale
Synonym		Cetyl palmitate 15
Batch	171640	
Specification	PH.EUR. 8.8	
Expiry date	10.2018	

Test		Specification	Result
Release date	19.07.2017	Head of Quality Control	Fr. Dr. Haßel.

Result taken from the manufacturer's certificate

This document has been generated automatically and is valid without a signature.