

Analizni izvid / Certificate of analysis

Olivae oleum raffinatum

Serijska številka / Batch n°: 5010401
 Deklaracija / Corresponds to: Ph.Eur., BP

Datum analize / Date of analysis: 11/02/2011
 Datum proizvod / Manufacturing date: 10/2010
 Uporabno do / Expiry date: 10/2012

| | Specifikacija / Specification Values | Rezultati / Batch Values |
|--|---|--------------------------|
| Lastnosti / Properties: | Bistra, zelenkasto rumena tekočina, skoraj netopna v etanolu, meša se s petroleom (50 °C to 70 °C). Z ohlajanjem se zamotni pri 10°C in pri okoli 0°C postane maslu podobna snov. Relativna gostota olja je okoli 0,913. / A clear, colourless or greenish-yellow, transparent liquid, practically insoluble in ethanol (96 per cent), miscible with light petroleum (50 °C to 70 °C). When cooled, it begins to become cloudy at 10 °C and becomes a butter-like mass at about 0 °C. It has a relative density of about 0,913. | Ustreza / Complies |
| Istovetnost / Identification: | v skladu s preskusom / it complies with the test | Ustreza / Complies |
| Kislinsko število / Acid value: | ≤ 0,3 | 0,15 |
| Peroksidno število / Peroxide value: | ≤ 10,0 | 0,6 |
| Nemilijiva snov / Unsaponifiable matter: | ≤ 1,5 % | 1,18 % |
| Alkalne nečistote / Alkaline impurities: | v skladu s preskusom / it complies with the test | Ustreza / Complies |
| Specifična absorbanca / Specific absorbance (270nm): | ≤ 1,20 | 0,46 |
| Sestava maščobnih kislin / Composition of fatty acids: | v skladu s preskusom proizvajalca / it complies with the test | Ustreza / Complies |
| Steroli / Sterols: | v skladu s preskusom proizvajalca / it complies with the test | Ustreza / Complies |
| Sezamovo olje / Sesame oil: | v skladu s preskusom / it complies with the test | Ustreza / Complies |
| Voda / Water: | ≤ 0,1 % | 0,02 % |



Opombe / Notes:

Mnenje / Opinion:

Po preskušeni parametri vzorec ustreza navedenim parametrom Ph.Eur.6th. /
 According to the tested parameters the sample corresponds to the stated parameters of Ph.Eur. 6th.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager