

Analizni izvid / Certificate of analysis

Ureum

Serijska številka / Batch n°: LX0619-100005
 Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 15/07/2011
 Datum proizvodnje / Manufacturing date: 10/2010
 Uporabno do / Expiry date: 10/2013

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen rahlo higroskopen prašek ali prozorni kristali, zelo lahko topni v vodi, topni v alkoholu, skoraj netopni v metilen kloridu. / White or almost white, crystalline powder or transparent crystals, slightly hygroscopic, very soluble in water, soluble in alcohol, practically insoluble in methylene chloride.	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	98,5 – 101,5 % *	99,8
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Alkalnost / Alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Biuret / Biuret:	≤ 0,1 %	0,05
Amonij / Ammonium:	≤ 500 ppm	< 500
Težke kovine / Heavy metals:	≤ 10 ppm	< 10
Izguba pri sušenju / Loss on drying:	≤ 1,0 %	0,10
Sulfatni pepel / Sulphated ash:	≤ 0,1 %	< 0,01



Opombe / Notes:	* brezvodna substanca / anhydrous substance
Mnenje / Opinion:	Po preskušanih parametrih vzorec ustreza Ph.Eur. 7 th . According to the tested parameters the sample corresponds to Ph.Eur. 7 th .

Ines LOGAR mag.farm., spec.
 Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LexCHEM

LexARNA

Lex d.o.o. • Vanganeljska c. 26 • SI-6000 Koper
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
 www.lex.si • www.lexarna.si