

Analizni izvid / Certificate of analysis

Acidum tartaricum

Serijska številka / Batch n°: LX0045-120005 ✓
 Deklaracija / Corresponds to: Ph.Eur., FU, E 334

Datum analize / Date of analysis: 09/08/2012
 Datum proizvodnje / Manufacturing date: 01/2012
 Uporabno do / Expiry date: 01/2017 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel, kristaliničen prašek ali brezbarvni kristali, zelo lahko topni v vodi, lahko topni v etanolu (96 odstotnem). / White or almost white, crystalline powder or colourless crystals, very soluble in water, freely soluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	99,5 – 101,0 % *	99,8
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Specifična optična sučnost / Specific optical rotation:	+12,0 / +12,8 *	+12,5
Oksalna kislina / Oxalic acid:	≤ 350 ppm	Ustreza / Conforms
Kloridi / Chlorides:	≤ 100 ppm	Ustreza / Conforms
Sulfati / Sulphates:	≤ 150 ppm	Ustreza / Conforms
Kalcij / Calcium:	≤ 200 ppm	Ustreza / Conforms
Težke kovine / Heavy metals:	≤ 10 ppm	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 0,2 %	Ustreza / Conforms
Sulfatni pepel / Sulphated ash:	≤ 0,1 %	Ustreza / Conforms

FARMADENT d.o.o.	
Minarikova ul. 6	
2000 Maribor	
Prejel: FUJS DRAGO	
<i>[Signature]</i>	
Datum prejema:	23.7.13
Pregledal:	MAROLT Robert, mag. farm., spec.
<i>[Signature]</i>	
Datum pregleda:	23.7.2013

Opombe / Notes:	* sušena substanca / dried substance
Mnenje / Opinion:	Po preskušanih parametri vzorec ustreza Ph.Eur.7. According to the tested parameters the sample corresponds to Ph.Eur. 7 th .

Ines LOGAR mag.farm., spec.
 Vodja službe za zagotavljanje kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Stran/Page 1/1