

Analizni izvid / Certificate of analysis

Adeps solidus (Witepsol H15)

Serijska številka / Batch n°: LX0052-110005 ✓


Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 15/03/2012

Datum proizvodnje / Manufacturing date: 08/2011

Uporabno do / Expiry date: 08/2014. ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bela ali skoraj bela, vosku podobna, drobljiva snov, skoraj netopna v vodi, težko topna v brezvodnem etanolu. S segrevanjem na 50 °C se stali in nastane brezbarvna ali rahlo rumeno obarvana tekočina. / A white or almost white, waxy, brittle mass, practically insoluble in water, slightly soluble in anhydrous ethanol. When heated to 50 °C, it melts giving a colourless or slightly yellowish liquid.	Ustreza / Conforms
Alkalne nečistote / Alkaline impurities:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Tališče / Melting point:	30 – 45 °C	34,4
Kislinsko število / Acid value:	≤ 0,5 mg KOH/g	0,09
Hidroksilno število / Hydroxyl value:	≤ 50 mg KOH/g	13
Jodno število / Iodine value:	≤ 3 g I ₂ /100g	Ustreza / Conforms
Peroksidno število / Peroxide value:	≤ 3 meq O ₂ /kg	0,1
Saponifikacijsko število / Saponification value:	210 – 260 mg KOH/g	242
Nemiljivi del / Unsaponifiable matter:	≤ 0,6 %	≤ 0,3
Težke kovine / Heavy metals:	≤ 10 ppm	Ustreza / Conforms
Celotni pepel / Total ash:	≤ 0,05 %	Ustreza / Conforms



Opombe / Notes:

Mnenje / Opinion:

Po preskušeni parametri vzorec ustreza Ph.Eur.7.
According to the tested parameters the sample corresponds to Ph.Eur.7.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolnega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganeljska c. 26 • SI-6000 Koper
tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
www.lex.si • www.lexarna.si