

FARMADENT d.o.o.
 Minarikova ul. 6
 2000 Maribor
 Prejel: FL J9 DRAGO

Datum prejema: 22.4.14
 Pregledal: MAROLT Robert, mag. farm., spec.

Datum pregleda: 22.4.2014

Certificate of Analysis

ETHER

Aether

Product number: 25074 Batch number: 12H28-C01-14297
 Analysis according to: Ph. Eur. 01/2008:0650 Expiry date: 06/2015


TESTS AND TEST RESULTS

<u>Parameter</u>	<u>Specification</u>	<u>Result</u>
CHARACTERS		
Appearance	Clear, colourless, volatile, highly flammable liquid	Complies
IDENTIFICATION		
Identification A	Complies with test for relative density	Complies
Identification B	Complies with test for distillation range	Complies
TESTS		
Acidity	≤ 0,4 mL of NaQH 0,02M	0,3 mL
Relative density	0,714 – 0,716 g/mL	0,715 g/mL
Distillation range	It distils completely between 34,0 °C and 35,0 °C	34,1 °C – 34,5 °C
Non-volatile mater	Residue weights not more than 1 mg (20 mg/L)	0,1 mg (2 mg/L)
Substances with a foreign odour	No foreign odour is perceptible immediately after the evaporation	Complies
Aldehydes	The lower layer may show yellow or reddish-brown opalescence but not grey or black opalescence	Complies
Peroxides	No color develops	Complies
Water	Not more than 2 g/L	0,4 g/L

All tests are executed by the authorized laboratory Quercus labo BVBA.

CONCLUSION: Product meets the specifications. Batch released.

RELEASE DATE: September 12, 2012



K. Vaneessen, Industrial Pharmacist / QP
 Quality Assurance Manager