

Analizni izvid / Certificate of analysis

Aether

Serijska številka / Batch n°: LX0054-100001


Deklaracija / Corresponds to: Ph.Eur., BP

Datum analize / Date of analysis: 15/11/2010

Uporabno do / Expiry date: 03/2016

Datum proizvodnje / Manufacturing date: 06/2010

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bistra, brezbarvna, hlapna tekočina, topna v vodi. Meša se z etanolom (96 odstotnim), metilen kloridom in maščobnimi olji. Je zelo vnetljiva. / Clear, colourless liquid, volatile, soluble in water, miscible with ethanol (96 per cent), with methylene chloride and with fatty oils. It is highly flammable.	Ustreza / Complies
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Kislost / Acidity:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Relativna gostota / Relative density:	0,714 – 0,716	0,714
Interval destilacije / Distillation range:	34,0 – 35,0 °C	34,0 °C
Aldehidi / Aldehydes:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Peroksidi / Peroxides:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Nehlapna snov / Non-volatile matter:	≤ 20 mg/l	< 20 mg/l
Substance s tujim vonjem / Substances with a foreign odour:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Voda / Water:	≤ 2 g/l	< 2 g/l



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.6th.
According to the tested parameters the sample corresponds to Ph.Eur.6th.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
Quality assurance manager