

# Analizni izvid / Certificate of analysis

## Alcohol cetylicus et stearylicus emulsificans B

Serijska številka / Batch n°: LX3041-110001 ✓

Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 19/09/2011

Datum proizvodnje / Manufacturing date: 08/2011

Uporabno do / Expiry date: 02/2013 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bela ali svetlo rumena, voskasta masa, ploščice, kosmiči ali granule. Topijo se v vroči vodi in tvorijo opalescentno raztopino. Skoraj netopne v hladni vodi, težko topne v etanolu (96 odstotnem). / White or pale yellow, waxy mass, plates, flakes or granules, soluble in hot water giving an opalescent solution, practically insoluble in cold water, slightly soluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay . Sodium laurilsulfate . Cetostearyl alcohol:	≥ 7,0 % ≥ 80,0 %	9,3 Ustreza / Conforms
Kislinsko število / Acid value:	≤ 2,0	0,00
Jodno število / Iodine value:	≤ 3,0	Ustreza / Conforms
Saponifikacijsko število / Saponification value:	≤ 2,0	0,74
Voda / Water:	≤ 3,0 %	1,690

**FARMADENT d.o.o.**  
Minarikova ul. 6  
2000 Maribor  
Prejel: FULIS DRAGO  
*[Signature]*  
Datum prejema: *20.9.2011*  
Pregledal: MAROLT Robert, mag. farm., spec.  
Datum pregleda: \_\_\_\_\_

Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7<sup>th</sup>.  
According to the tested parameters the sample corresponds to Ph.Eur.7<sup>th</sup>.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti  
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganska c. 26 • SI-6000 Koper  
tel.: +386 5 625 18 10 • fax: +386 5 625 18 12  
www.lex.si • www.lexarna.si