

Analizni izvid / Certificate of analysis

Balsamum peruvianum

Serijska številka / Batch n°: LX0113-110004
 Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 02/06/2011
 Datum proizvodnje / Manufacturing date: 02/2011
 Uporabno do / Expiry date: 01/2014

| | Specifikacija / Specification Values | Rezultati / Batch Values |
|--|---|--------------------------|
| Videz / Appearance: | Temno rjava, viskozna tekočina, razmaz je prosojen in rumeno rjave barve, tekočina ni lepljiva, se ne suši in se ne razvleče v nitke. Skoraj netopna v vodi, lahko topna v etanolu, ne meša se z maščobnimi olji, razen z ricinusovim oljem. / <i>A dark brown, viscous liquid which is transparent and yellowish-brown when viewed in a thin layer; the liquid is not sticky, it is non-drying and does not form threads; practically insoluble in water, freely soluble in ethanol, not miscible with fatty oils, except for castor oil.</i> | Ustreza / Conforms |
| Istovetnost / Identification: | v skladu s preskusom / it complies with the test | Ustreza / Conforms |
| Relativna gostota / Relative density: | 1,14 – 1,17 | 1,16 |
| Saponifikacijsko število / Saponification value: | 230 – 255 | 240 |
| Umetni balzami / Artificial balsams: | v skladu s preskusom / it complies with the test | Ustreza / Conforms |
| Maščobna olja / Fatty oils: | v skladu s preskusom / it complies with the test | Ustreza / Conforms |
| Terpentin / Turpentine: | v skladu s preskusom / it complies with the test | Ustreza / Conforms |
| Vsebnost / Assay: | 45,0 – 70,0 % ^{m/m} | 61,3 |



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.
 According to the tested parameters the sample corresponds to Ph.Eur.7.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganelška c. 26 • SI-6000 Koper
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
 www.lex.si • www.lexarna.si