



Analizni izvid / Certificate of analysis

Benzocainum micron.

Serijska številka / Batch n°: LX0126-110004
 Deklaracija / Corresponds to: Ph.Eur. ✓
 Proizvajalec / Manufacturer: NORBROOK S.r.o.

Datum analize / Date of analysis: 03/07/2013
 Datum proizvodnje / Manufacturing date: 12/2011
 Uporabno do / Expiry date: 11/2016 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen prašek ali brezbarvni kristali, zelo težko topen v vodi, lahko topen v etanolu (96 odstotnem). / White or almost white, crystalline powder or colourless crystals, very slightly soluble in water, freely soluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	99,0 – 101,0 %*	100,15
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	0,015
Sulfatni pepel / Sulphated ash:	≤ 0,1 %	0,039

FARMADENT d.o.o.
 Minarikova ul. 6
 2000 Maribor
 Prejel: FUS DRAGO
 Za: 
 Datum prejema: 6.8.2013
 Pregledal: MAROLT Robert, mag. farm., spec.

 Datum pregleda: 6.8.2013

Opombe / Notes:	* sušena substanca / dried substance
Mnenje / Opinion:	Po preskušanih parametrih vzorec ustreza Ph.Eur.7. According to the tested parameters the sample corresponds to Ph.Eur. 7 th .

Ines LOGAR mag.farm., spec.
 Vodja službe za zagotavljanje kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganeljska c. 26 • SI-6000 Koper
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
 www.lex.si • www.lexarna.si