



Certificate of Analysis

Productname: Borax pulv.
Number of analysis/Inspection Code: 1 / KEUR-92606B
Batchnumber: 12D24-B06-277890
Reference code / No.: 2058 / RC01
Analysed according to: PH.EUR7.4+

FARMADENT d.o.o. Minarikova ul. 6 2000 Maribor Prejel: FUJIS DRAGO Datum pregleda: 9.7.2013 Pregledal: MAROLT Robert, mag. farm., spec. Datum pregleda: 10.7.2013
--

Tests	Requirement	Result	Unit	Standard remark
Appearance	Fine, white, crystalline powder	Conform		
Particle size	90% <250 µm	97	%	Sieve analysis
Particle size	80% <210 µm	94	%	
Identification A	Green	Conform		Borium
Identification B	Red / colourless	Conform		
Identification C	Conform	Conform		Na
Appearance of solution	Clear, colourless	Conform		4% m/V
pH	9,0 - 9,6	9,3		4% m/V
Sulphates	<=50	Conform	ppm	
Ammonium	<=10	Conform	ppm	
Arsenic	<=5	Conform	ppm	
Calcium	<=100	Conform	ppm	
Heavy metals	<=25	Conform	ppm	
Residual solvents	CPMP/ICH/283/95	Conform		Data producer
Assay Disodium tetraborate decahydrate	99,0 - 103,0	100,6	% m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analyse performed by the authorized lab Synergy Health.

Release:
Drs. M.V. Garcia Alia
Pharmacist - QA Manager / QP

12-02-13

Expiration: 04-2015

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.