

# Analizni izvid / Certificate of analysis

## Cera alba

Serijska številka / Batch n°: LX0187-110006 ✓  
 Deklaracija / Corresponds to: BP, USP, Ph.Eur.

Datum analize / Date of analysis: 08/12/2011  
 Datum proizvodnje / Manufacturing date: 11/2011  
 Uporabno do / Expiry date: 11/2013 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Beli ali svetlo rumeni koščki ali ploščice, v tankem sloju prosojne, ob prelomu fino zrnate, matirane in neznate. Pri segrevanju v rokah postanejo mehke in voljne. Vonj spominja na rumen čebelji vosek, vendar je šibkejši in nikoli žarek. Je brez okusa in se ne prijema na zobe. Skoraj netopni v vodi, delno topni v vročem etanolu (90 odstotnem V/V) in popolnoma topni v maščobnih in eteričnih oljih. / <i>White or yellowish-white pieces or plates, translucent when thin, with a fine-grained, matt and non-crystalline fracture; when warmed in the hand they become soft and malleable. It has an odour similar to that of yellow beeswax, though fainter and never rancid. It is tasteless and does not stick to the teeth, practically insoluble in water, partially soluble in hot ethanol (90 per cent V/V) and completely soluble in fatty and essential oils.</i>	Ustreza / Conforms
Kapljišče / Drop point:	61° - 66 °C	61,0
Kislinsko število / Acid value:	17,0 - 24,0 mg KOH/g	19,6
Estrsko število / Ester value:	70 - 80 mg KOH/g	78,6
Saponifikacijsko število / Saponification value:	87 - 104 mg KOH/g	98,2
Cerezin, parafini in preostali voski / <i>Ceresin, paraffins and certain other waxes:</i>	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Glicerol in ostali poliolli / <i>Glycerol and other polyols:</i>	≤ 0,5 % m/m	Ustreza / Conforms

FARMADENT d.o.o.

Minarikova ul. 6

2000 Maribor

Prejel: FUJS DRAGO

Za: *[Signature]*

Datum prejema: 9.7.12

Pregledal: MAROLT Robert, mag. farm., spec.

*[Signature]*

Datum pregleda: 5.7.2012

Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7, BP, USP.  
 According to the tested parameters the sample corresponds to Ph.Eur.7, BP, USP.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti  
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Varganetska c. 26 • SI-6000 Koper  
 tel.: +386 5 625 18 10 • fax: +386 5 625 18 12  
 www.lex.si • www.lexarna.si