

Analizni izvid / Certificate of analysis

Erythromycinum

Serijska številka / Batch n°: LX0264-090002
 Deklaracija / Corresponds to: Ph.Eur.
 Proizvajalec / Manufacturer: Metapharmaceutical S.L.

Datum analize / Date of analysis: 14/07/2011
 Datum proizvodnje / Manufacturing date: 04/2009
 Datum reanalize / Date of reanalysis: 22/02/2012
 Uporabno do / Expiry date: 04/2014

	Specifikacija / Specification Values	Rezultati / Batch Values
Videz / Appearance:	Bel ali rahlo rumen prašek ali brezbarvni do rahlo rumeni kristali, rahlo higroskopični. / White or slightly yellow powder or colourless or slightly yellow crystals, slightly hygroscopic.	Ustreza / Conforms
Istovetnost / Identification:	according to monography	Ustreza / Conforms
Specifična optična sučnost / Specific optical rotation:	-71° / -78° (anhydrous substance)	-75,2
Sorodne substance / Related substances:	according to test	Ustreza / Conforms
Tiocianat / Thiocyanate:	≤ 0,3 %	Ustreza / Conforms
Voda (K.F.) / Water (K.F.):	≤ 6,5 %	4,22
Sulfatni pepel / Sulphated ash:	≤ 0,2 %	0,026
Vsebnost / Assay:	93,0 – 102,0 %	100,8
. erythromycin B	≤ 5,0 %	2,1
. erythromycin C	≤ 5,0 %	0,3

FARMADENT d.o.o.
 Minarikova ul. 6
 2000 Maribor
 Prejel: FUJS DRAGO
 Datum prejema: 13.6.2011
 Pregledal: MAROLT Robert, mag. farm., spec.
 Datum pregleda: 13.6.2011

Opombe / Notes:

Mnenje / Opinion:

Po navedbah proizvajalca substanca ustreza zgoraj navedenim parametrom Ph.Eur.7.
 According to the manufacturers specifications, the product corresponds to the stated parameters Ph.Eur.7.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1