


Analizni izvid / Certificate of analysis

Ethanolum (96 per centum)

Serijska številka / Batch n°: 12/19102010
 Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 10/11/2010
 Uporabno do / Expiry date: 10/2015
 Datum proizvodnje / Manufacturing date: 10/2010

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bistra, brezbarvna, hlapna, higroskopna, vnetljiva tekočina. Meša se z vodo in metilen kloridom. Gori s plavkastim plamenom, brez saj. / Colourless, clear, volatile, flammable, hygroscopic liquid, miscible with water and with methylene chloride. It burns with a blue, smokeless flame.	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Videz / Appearance:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Relativna gostota / Relative density:	0,805 – 0,812	0,807
Absorbanca / Absorbance:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Hlapne nečistote / Volatile impurities:	v skladu s preskusom / it complies with the test	Ustreza / Complies
Ostaneček po izparivanju / Residue on evaporation:	≤ 25 ppm m/V	<10 ppm m/V
Vsebnost / Assay (ethanol):	95,1 – 96,9 % V/V	96,1 % V/V



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.6th.
 According to the tested parameters the sample corresponds to Ph.Eur.6th.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager