


Analizni izvid / Certificate of analysis

Kalii dihydrogenophosphas

Serijska številka / Batch n°: LX0353-110005
 Deklaracija / Corresponds to: Ph.Eur., BP, NF, E340

Datum analize / Date of analysis: 29/05/2012
 Datum proizvodnje / Manufacturing date: 12/2011
 Uporabno do / Expiry date: 12/2016

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel, kristaliničen prašek ali brezbarvni kristali, lahko topni v vodi, skoraj netopni v etanolu (96 odstotnem). / White or almost white, crystalline powder or colourless crystals, freely soluble in water, practically insoluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	98,0 – 100,5 %*	99,9
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
pH / pH:	4,2 – 4,5	4,3
Reducirajoče snovi / Reducing substances:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kloridi / Chlorides:	≤ 200 ppm	Ustreza / Conforms
Sulfati / Sulphates:	≤ 300 ppm	Ustreza / Conforms
Arzen / Arsenic:	≤ 2 ppm	Ustreza / Conforms
Železo / Iron:	≤ 10 ppm	Ustreza / Conforms
Natrij / Sodium:	≤ 0,1 %	Ustreza / Conforms
Težke kovine / Heavy metals:	≤ 10 ppm	Ustreza / Conforms
Izguba pri sušenju / Loss on drying:	≤ 2,0 %	< 0,1



Opombe / Notes: * sušena substanca / dried substance

Mnenje / Opinion: Po preskušanih parametrih vzorec ustreza Ph.Eur.7.
 According to the tested parameters the sample corresponds to Ph.Eur.7th.

Ines LOGAR mag.farm., spec.
 Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1