

Analizni izvid / Certificate of analysis

Lactosum monohydricum

Serijska številka / Batch n°: LX0370-110004
 Deklaracija / Corresponds to: Ph.Eur., USP

Datum analize / Date of analysis: 03/10/2011
 Datum proizvodnje / Manufacturing date: 04/2011
 Uporabno do / Expiry date: 04/2014

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel, kristalinični prašek, lahko, ampak počasi topen v vodi, skoraj netopen v etanolu (96 odstotnem). / White or almost white, crystalline powder, freely but slowly soluble in water, practically insoluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Specifična optična sučnost / Specific optical rotation:	+54,4° / +55,9° *	+55,30
Absorbanca / Absorbance:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Težke kovine / Heavy metals:	≤ 5 ppm	< 5
Voda / Water:	4,5 – 5,5 %	5,11
Sulfatni pepel / Sulphated ash:	≤ 0,1 %	< 0,1
Mikrobno onečiščenje / Microbial contamination:	v skladu s preskusom / it complies with the test	Ustreza / Conforms

FARMADENT d.o.o. Minarikova ul. 6 2000 Maribor Prejel: FOLIS DRAGO Datum prejema: 30.11.2011 Pregledal: MAROLT Robert, mag. farm., spec. Datum pregleda: 30.11.2011
--

Opombe / Notes:	* brezvodna substanca / anhydrous substance
Mnenje / Opinion:	Po preskušanih parametrih vzorec ustreza Ph.Eur.7 th . According to the tested parameters the sample corresponds to Ph.Eur. 7 th .

Ines LOGAR mag.farm., spec.
 Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1