

# Analizni izvid / Certificate of analysis

## Magnesii chloridum hexahydricum

Serijska številka / Batch n°: LX0398-110007

Deklaracija / Corresponds to: Ph.Eur.

Datum analize / Date of analysis: 25/01/2012

Datum proizvodnje / Manufacturing date: 10/2011

Uporabno do / Expiry date: 10/2014

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Brezbarvni, higroskopi kristali, zelo lahko topni v vodi, lahko topni v etanolu (96 odstotnem) Colourless crystals, hygroscopic, very soluble in water, freely soluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	98,0 – 101,0 %	100,4
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Bromidi / Bromides:	≤ 500 ppm	< 500
Sulfati / Sulphates:	≤ 100 ppm	< 100
Aluminij / Aluminium:	≤ 1 ppm	< 1
Arzen / Arsenic:	≤ 2 ppm	< 2
Kalcij / Calcium:	≤ 0,1 %	< 0,1
Železo / Iron:	≤ 10 ppm	< 10
Kalij / Potassium:	≤ 5,0 · 10 <sup>2</sup> ppm	< 500
Težke kovine / Heavy metals:	≤ 10 ppm	< 10
Voda / Water:	51,0 – 55,0 %	52,6



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.  
According to the tested parameters the sample corresponds to Ph.Eur. 7<sup>th</sup>.

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti  
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolnega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Stran/Page 1/1