

## Analizni izvid / Certificate of analysis

## Magnesii sulfas heptahydricus

Serijska številka / Batch n°: LX0405-130009  
 Deklaracija / Corresponds to: Ph.Eur.  
 Proizvajalec / Manufacturer: MACCO ORGANIQUES, s.r.o.

Datum analize / Date of analysis: 15/05/2013  
 Datum proizvodnje / Manufacturing date: 02/2013  
 Uporabno do / Expiry date: 02/2018


	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen prašek ali lesketajoči se, brezbarvni kristali, lahko topen v vodi, zelo lahko topen v vreli vodi, skoraj netopen v etanolu (96 odstotnem). / White or almost white, crystalline powder or brilliant, colourless crystals, freely soluble in water, very soluble in boiling water, practically insoluble in ethanol (96 per cent).	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	99,0 – 100,5 % (dried substance)	99,7
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kloridi / Chlorides:	≤ 300 ppm	< 300
Arzen / Arsenic:	≤ 2 ppm	< 2
Železo / Iron:	≤ 20 ppm	< 20
Težke kovine / Heavy metals:	≤ 10 ppm	< 10
Izguba pri sušenju / Loss on drying:	48,0 – 52,0 %	51,5

FARMADENT d.o.o.


Minarikova ul. 6

2000 Maribor

Prejel: FUDS DRAGO

Zu: Datum prejema: 

Pregledal: MAROLT Robert, mag. farm., spec.



Datum pregleda: 9.10.2013

Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.

According to the tested parameters the sample corresponds to Ph.Eur.7<sup>th</sup>.

Ines LOGAR mag.farm., spec.

Vodja službe za zagotavljanje kakovosti  
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Strani/Page 1/1

LEX

LEXCHEM

Lexorna

Lex d.o.o. • Vangarjska c. 26 • SI-6000 Koper  
tel.: +386 5 625 18 10 • fax: +386 5 625 18 12  
www.lex.si • www.lexorna.si