

## Analizni izvid / Certificate of analysis

## Natrii chloridum

Serijska številka / Batch n°: LX0442-130005 ✓  
 Deklaracija / Corresponds to: Ph.Eur., USP  
 Proizvajalec / Manufacturer: CHEMISCHE FABRIK LEHRTE KOSSEL

Datum analize / Date of analysis: 05/04/2013  
 Datum proizvodnje / Manufacturing date: 02/2013  
 Uporabno do / Expiry date: 01/2015 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen prašek ali brezbarvni kristali ali bele do skoraj bele perle, lahko topen v vodi, skoraj netopen v brezvodnem etanolu. / White or almost white crystalline powder or colourless crystals or white or almost white pearls, freely soluble in water, practically insoluble in anhydrous ethanol.	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Vsebnost / Assay:	99,0 - 100,5 %*	100,2
Videz raztopine / Appearance of solution:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Bromidi / Bromides:	≤ 100 ppm	< 50
Ferocianidi / Ferrocyanides:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Jodidi / Iodides:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Nitriti / Nitrites:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Fosfati / Phosphates:	≤ 25 ppm	< 0,5
Sulfati / Sulphates:	≤ 200 ppm	60,4
Aluminij / Aluminium:	≤ 0,2 ppm	< 0,1
Arzen / Arsenic:	≤ 1 ppm	< 0,5
Barij / Barium:	v skladu s preskusom / it complies with the test	Ustreza / Conforms
Železo / Iron:	≤ 2 ppm	< 0,5
Magnezij in zemljoalkalijske kovine / Magnesium and alkaline-earth metals:	≤ 100 ppm	< 5
Kalij / Potassium:	≤ 500 ppm	4,7
Težke kovine / Heavy metals:	≤ 5 ppm	< 2
Izguba pri sušenju / Loss on drying:	≤ 0,5 %	0,02

Opombe / Notes:

\* sušena substanca / dried substance

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.  
 According to the tested parameters the sample corresponds to Ph.Eur.7<sup>th</sup>.

Ines LOGAR mag.farm., spec.

Vodja službe za zagotavljanje kakovosti  
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznosti substance za specifično uporabo. / This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.

Obr.: 7512

Stran/Page 1/1