

Analizni izvid / Certificate of analysis

Natrii citras

Serijska številka / Batch n°: LX0443-110007
 Deklaracija / Corresponds to: Ph.Eur., BP

Datum analize / Date of analysis: 15/07/2011
 Datum proizvodnje / Manufacturing date: 03/2011
 Uporabno do / Expiry date: 03/2014

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Bel ali skoraj bel kristaliničen prašek ali beli ali skoraj beli granularni kristali, rahlo delikvescentni v vlažnem zraku, lahko topni v vodi, skoraj netopni v etanolu (96 odstotnem). / <i>White or almost white, crystalline powder or white or almost white, granular crystals, slightly deliquescent in moist air. Freely soluble in water, practically insoluble in ethanol (96 per cent).</i>	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Vsebnost / Assay:	99,0 – 101,0 %*	99,90
Videz raztopine / Appearance of solution:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Hitro karbonizirajoče substance / <i>Readily carbonisable substances:</i>	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Kloridi / Chlorides:	≤ 50 ppm	< 50
Oksalati / Oxalates:	≤ 300 ppm	< 100
Sulfati / Sulphates:	≤ 150 ppm	< 100
Težke kovine / Heavy metals:	< 10 ppm	< 5
Voda / Water:	11,0 – 13,0 %	12,20
Dodatne informacije / Additional information:	GSO/GMO, BTS/TSE, alergeni/allergens, topila/solvents, žarčenje/radiation	Ni prisotno / Absent



Opombe / Notes:	* brezvodna substanca / <i>anhydrous substance</i>
Mnenje / Opinion:	Po preskušanih parametrih vzorec ustreza Ph.Eur.7 th . <i>According to the tested parameters the sample corresponds to Ph.Eur.7th.</i>

Ines LOGAR mag.farm., spec.

Vodja službe za kontrolo kakovosti
 Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / *This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.*

Stran/Page 1/1