



<b>Article</b>	<b>7455</b>	<b>Natriumlactat-Lösung 50%</b>
<b>Synonym</b>		<b>Natrii lactatis solutio</b>
<b>Synonym</b>		<b>Sodium lactate solution 50%</b>
<b>Batch</b>	<b>163210</b>	
<b>Specification</b>	<b>PH.EUR. 8.0</b>	
<b>Expiry date</b>	<b>09.2019</b>	

Test	Specification	Result	
Characters	In accordance	Complies	
-Appearance	In accordance	Complies	
-Solubility	In accordance	Complies	
Identification	In accordance	Complies	
-A	In accordance	Complies	
-B	In accordance	Complies	
-Raman spectrophotometry	In accordance	Complies	
Tests	In accordance	Complies	
-Appearance of solution	In accordance	Complies	
-pH	6,5 - 9,0	7,4	
-Reducing sugar, saccharose	In accordance	Complies	#
-Chlorides	Max 50 ppm	Max 50 ppm	#
-Oxalate, phosphate	In accordance	Complies	
-Sulphates	Max 100 ppm	Max 100 ppm	#
-Barium	In accordance	Complies	#
-Iron	Max 10 ppm	Max 10 ppm	#
-Heavy metals	Max 10 ppm	Max 10 ppm	#
Assay (sodium lactate)	48,0 - 52,0 %	50,5 %	#
Complies specification	*****	Yes	



## Certificate of analysis

---

<b>Article</b>	<b>7455</b>	<b>Natriumlactat-Lösung 50%</b>
<b>Synonym</b>		<b>Natrii lactatis solutio</b>
<b>Synonym</b>		<b>Sodium lactate solution 50%</b>
<b>Batch</b>	<b>163210</b>	
<b>Specification</b>	<b>PH.EUR. 8.0</b>	
<b>Expiry date</b>	<b>09.2019</b>	

---

Test		Specification	Result
Release date	16.12.2016	Head of Quality Control	Fr. Dr. Haßel.

# Result taken from the manufacturer's certificate

This document has been generated automatically and is valid without a signature.