



Certificate of Analysis

Productname: Sulfur ad usum externum
Number of analysis/Inspection Code: 1 / KEUR-77118B
Batchnumber: 11A31-B13-263531
Reference code / No.: 2132 / 600-1.1
Analysed according to: PH.EUR 7.0

FARMADENT d.o.o. Minarikova ul. 6 2000 Maribor Prejel: FUJS DRAGO
ZA: <i>[Signature]</i>
Datum problema: 29-6-14 Pregledal: MAJOLT Robert, mag. farm., spec.
Datum pregleda: 24-6-2014

Tests	Requirement	Result	Unit	Standard remark
Appearance	Fine, (pale) yellow powder	Conform		
Melting point	About 120	119	°C	
Identification A	Conform	Conform		
Identification B	White	Conform		
Appearance of solution	Colourless	Conform		
Odour	Conform	Conform		
Acidity or alkalinity	Conform	Conform		
Chlorides	<= 100	Conform	ppm	
Sulphates	<= 100	Conform	ppm	
Sulphides	Conform	Conform		
Sulphated ash	<= 0,2	Conform	%	
Assay Sulphur	99,0 - 101,0	99,3	%m/m	

Release:
Drs. M.V. Garcia Alia
Pharmacist - QA Manager / QP

04-10-11

Expiration: 01-2016

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.