

Analizni izvid / Certificate of analysis

Talcum

Serijska številka / Batch n°: LX0571-120005

Deklaracija / Corresponds to: Ph.Eur. ✓

Datum analize / Date of analysis: 06/08/2012

Datum proizvodnje / Manufacturing date: 07/2012

Uporabno do / Expiry date: 01/2014 ✓

	Specifikacija / Specification Values	Rezultati / Batch Values
Lastnosti / Properties:	Lahek, homogen, bel ali skoraj bel prašek, mastnega otipa (ne abraziven), skoraj netopen v vodi, etanolu (96 odstotnem) ter v razredčenih raztopinah kislin in alkalijskih hidroksidov. / <i>Light, homogeneous, white or almost white powder, greasy to the touch (non abrasive), practically insoluble in water, in ethanol (96 per cent) and in dilute solutions of acids and alkali hydroxides.</i>	Ustreza / Conforms
Istovetnost / Identification:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Kislost ali alkalnost / Acidity or alkalinity:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms
Vodotopne snovi / Water-soluble substances:	≤ 0,2 %	0,16
Aluminij / Aluminium:	≤ 2,0 %	0,40
Kalcij / Calcium:	≤ 0,9 %	0,45
Železo / Iron:	≤ 0,25 %	0,23
Svinec / Lead:	≤ 10 ppm	5
Magnezij / Magnesium:	17,0 – 19,5 %	17,6
Izguba pri žarenju / Loss on ignition:	≤ 7,0 %	6,90
Mikrobno onečiščenje / Microbial contamination:	v skladu s preskusom / <i>it complies with the test</i>	Ustreza / Conforms



Opombe / Notes:

Mnenje / Opinion:

Po preskušanih parametrih vzorec ustreza Ph.Eur.7.
According to the tested parameters the sample corresponds to Ph.Eur.7th.

Ines LOGAR mag.farm., spec.

Vodja službe za zagotavljanje kakovosti
Quality assurance manager

Ta dokument je izdelan v elektronski obliki s strani Lexovega kontrolno analiznega laboratorija in je veljaven brez podpisa. Ta dokument ne razrešuje kupca od lastne kontrole kakovosti in ne zagotavlja ustreznost substance za specifično uporabo. / *This document has been produced electronically by Lex Quality Control Laboratory and is valid without a signature. This document does not free the purchaser from his own quality check nor it does confirm that the product has certain properties or is suitable for a specific application.*

Obr.: 7512

Stran/Page 1/1

LEX

LEXCHEM

Lexarna

Lex d.o.o. • Vanganejska c. 26 • SI-6000 Koper
tel.: +386 5 625 18 10 • fax: +386 5 625 18 12
www.lex.si • www.lexarna.si